

# ENRICHING QUALITY OF LIFE, THROUGH SAFE HEALING ENVIRONMENT









Goorg interio HEALTHCARE

# HEALTHCARE AND US



Godrej Interio Healthcare business focuses on creating environments that support patients and families in the process of healing. These healing environments focus on **efficiency, empathy** and **wellbeing** of all stakeholders: Patients, Caregivers and Doctors.

Our aim is to transform healthcare spaces to promote a **safe healing environment.**We believe that healing environments should focus on patients and their relatives, help caregivers to be efficient and make doctors comfortable. This is achieved through various design approaches for products and space. Godrej Interio's Healthcare highlights our design philosophy, which is based on adopting a **Human-centric approach** and using **adaptive space solutions** for improved patient-doctor interaction.

We bring our knowledge of office space design to create people-centric spaces in areas of canteen, offices, lounges and waiting areas, meeting and video conferencing rooms and designing storage solutions. We can deliver a complete healthcare space with designing, interior fitouts and furniture that can meet various budgets.

Our Healthcare furniture products are ISO 13485 certified, USFDA registered and rated for CE certification from the European notifying body.

We design new perspectives to reality.

Space is our playground and it's our endeavor to make life the winner, everywhere and every time.

#### Godrej Interio. Make space for life.

## OUR STUDIES

The important driver of space design is the study of workflow for various stakeholders. Our recent study revealed that CAREGIVERS who are important stakeholders in patient healing are walking 8–10 km in 8-hour shift due to incorrectly designed spaces. Some more insights from our research are as below:

#### Insights from whitepaper

- a) More than 90% complain of some MSD (musculoskeletal disorder)
- b) Most prevalent pain areas amongst the nursing staff were leg pain (56%), followed by knee pain (51%)
- c) 51% complained of upper and lower back issues
- d) 61% also experienced neck pain sometimes
- e) 41% found to have taken leave for 1–3 days, whereas 7% of nurses have taken leaves for 4–6 days in a span of two months to manage the pain, indicating a clear productivity loss to the organization

# MOTIVATED BY CHALLENGES

Our motivation for creating a safe healing environment stems from the expectations of the caregivers. Each day they strive hard to provide superior healthcare services to their patients.

These challenges faced by them help us in the design and development of an intuitive, dynamic and ergonomic healthcare product range.

Thus, we play the role of facilitators of care and as a support system that supplements the treatments. We believe in creating a well-planned healthcare environment, which is safe and benefits the caregivers as well as, the patients.



## DESIGNED FOR MULTIPLE AND SPECIALIZED USE

The responsibility of our design team isn't limited to improving the established solutions. It goes beyond creating products that take care of key customer needs, common to a variety of healthcare environments. Thus the team makes certain that these products have multiple-use while being specialised for special tasks.

#### Parameter for designing the products:

#### **Global Safety Standards**

We adhere to the most stringent global standards and quality certifications. On the basis of which, we make sure all products are created to have -

- No sharp edges, no electrostatic charge
- No cold shock
- All entrapment zones taken care of
- Fall protection











• Ergonomic design

• Easy maneuverability

and surroundings

**Uncompromised Comfort** 

all concerned, we provide -

• Easy-to-use controls/crank handles

• Compatibility with associated products

We believe a safe healing environment is

when the patients, as well as caregivers,

experience comfort. To make sure there is

no compromise on comfort and care for

#### Assured Hygiene & Easy Maintenance

Our products take care of hygiene and maintenance too. The products are protected with bacteriostatic powder coating that ensures infection control, better pre-treatment procedure. At the same time, the simple construction ensures easy access for cleaning and fumigation.

## GODREJ INTERIO: HOLISTIC DESIGN AND SOLUTIONS

We create safe healing environments that work in harmony towards patient recovery, incorporating a complete healthcare system.

We stress on creating facilities that promote wellbeing through interior designs that emphasise professionalism and medical expertise. In addition, these facilities bring about an international feel through improved workflow patterns and processes.

Our design team comes with years of practical experience and exposure to every interior, HVCA, electrical and plumbing design. They also have experience in working processes as builders and installers.



#### About us:

Godrej Interio (GI) is India's premium furniture brand in both home and institutional segments with a strong commitment to sustainability and centers of excellence in design, manufacturing and retail.

Led by the largest in-house design team in the country in the furniture category and awarded with 34 India Design Mark Awards till date, GI aims to transform spaces with its thoughtfully designed furniture to create brighter homes and offices with products that have the highest design quotient in aesthetics, functionality and technology. With consistent pursuit of excellence and a special focus on health and ergonomics, GI's product portfolio comprises a massive range.

Today, we design and manufacture furniture for office spaces, homes, educational institutes, healthcare facilities, laboratories and more. Along with furniture we offer Audio Visual and 360 Degree Turnkey solutions. Each of our product range revolves around comfort and aesthetics while delivering well-designed, fun and functional furniture solutions. Briefly, Godrej Interio transforms dream spaces to life!

Godrej Interio has 8 manufacturing facilities situated at Mumbai, Haridwar, Shirwal, Khalapur and Bhagwanpur. GI's Shirwal Plant is GreenCo Platinum Certified and Mumbai Plants are GreenCo Gold Certified. GI is widely known for its comprehensive sustainability certifications for its products in furniture category.

GI's commitment to the environment has resulted in manufacturing products with lesser environment footprint. Our pioneering efforts include designing less environment burdening products, usage of eco-friendly materials and setting up less polluting and consuming processes, ensuring eco-friendly packaging, and transportation and finally the extended responsibility of recycling/reuse of used furniture and scrap, thus ensuring a lifecycle approach to green. GI has the widest range of green choices for our customers, which not only includes products but also services such as green interiors and recycling.

Currently present in over 650 cities with 300+ exclusive showrooms and 1200 dealers, GI is one of the largest divisions of Godrej and Boyce Mfg. Co. Ltd., part of the Godrej Group, one of India's largest engineering and customer product groups.



## INDEX

/ 12 to 21 / 44 to 46 Couch Motorized Motorized Range Chrysalis Nova Plus Bed Repos Procedure Couch Chrysalis Nova Bed Repos Gynaec Couch Chrysalis TWCL Bed Repos Physical Examination Table Chrysalis SWDL Bed Chrysalis Plus SWDL Bed / 47 to 48 Couch Manual Revive Full Storage Couch / 22 to 29 Semi Motorized Range Examination Table on RTC Evita 3F XP Bed Examination Table on RTC - Gynaec Evita 2F Bed Evita Lite 3F XP Bed / 48 to 49 Infant Trolley Evita Lite 2F XP Bed Pediatric Bed Crib on Trolley / 30 to 33 Manual ICU Range Crib on Bed Vita ICU Bed Vita Lite ICU Bed / 50 to 52 Locker Aptis Locker 2 Drawer 1 Cabinet / 34 to 43 Manual Range Aptis Locker 1 Drawer 1 Cabinet Ayush Plus Fowler - PP Bed Aptis Locker 1 Cabinet Ayush Plus Fowler – SSPLT Bed Deluxe Locker 1 Drawer 1 Cabinet Ayush Fowler Bed Simple Locker 1 Cabinet Ayush Plus Semi Fowler – PP Bed Ayush Plus Semi Fowler – SSPLT Bed / 52 to 54 Over Bed Table Ayush Semi Fowler Bed Ayush Plus Sheet - PP Bed Adeo OBT on Gas Lift Split Type Ayush Plus Sheet - SSPLT Bed Aptis OBT on Gas Lift Ayush Sheet Bed Aptis OBT on Crank

Ayush Fixed Height OBT

/ 54 to 57 Patient Mobility Stretcher on Trolley Trauma Care Trolley Rapid Neo ERT Folding Wheelchair Cushion / 57 to 60 SS Trolleys & Carts Instrument Trolley BB Instrument Trolley Medicine Trolley Mayo Trolley Crash Cart Instrument Cabinet Oxygen Cylinder Trolley / 61 to 66 SS & MS Accessories Kick Bucket Basin Stand Double Step Stool Square Stool Round Stool 3 Fold Screen Soil Linen Trolley Lite IV Pole MS Saline Stand SS Saline Stand MS & SS Siderails

/ 66 to 70 Mattress Chrysalis Mattress 4 Section Mattress 2 Section Mattress Single Section Mattress **Attendant Mattress** Crib Mattress **Examination Table Mattress** Pediatric Bed Mattress Rapid ERT Mattress / 71 to 78 **Facility Furniture** / 80 to 81 Healthcare Experience Centre

Ayush Attendant Bed

#### Chrysalis Nova Plus Bed



#### **Colour Options**





#### **Positions**



Backrest Adjustable





Maximum Height Position

Lowest Height



## Overall Dimension

**Platform Dimension** 

Head / Foot Board Lying Surface

Safety Sideboards Control Panel

Safe Working Load

#### L 220.6cm x W 101cm x H 42.5cm to 77.5cm

L 205cm x W 85.6cm

Easily removable board made of Polypropylene (PP)

Removable cover made of Acrylonitrile Butadiene Styrene (ABS), easy to clean and maintain

PP Sideboards with dropdown mechanism with embedded control panel

- 1. Embedded Control Panel Single Touch Function: Backrest, Knee Rest, Hi-low, Trendelenburg, Reverse Trendelenburg, Cardiac Chair Position, Emergency CPR, Lock Button
- 2. Weight Assist Panel for weight management

12.5cm, imported castors model, Twin Wheel Central Locking

200 kg

#### Accessories that comes along with the bed




Heavy Duty SS 304 Infusion Pole



Bed Extender for Taller Patient



Linen Holder



Patient Restrainer Belt Holder



Accessories Rail on both sides



Dual Side CPR Lever



Bumpers on all corners



Weight Assist Panel for Weight Management

#### Optional Accessories



Mattress 10cm

Oxygen Cylinder

Cage



Bed Extender



Battery Backup



Patient Control Panel



Chart Holder





Under Bed Light





X-Ray Permeable Backrest



Trendelenbura

Backrest

Design Registered

**Knee Rest** 24deg +/- 5deg

66deg +/- 5deg

Hi-Low 42.5cm to 77.5cm

Trendelenburg 15deg +/- 1deg

Reverse Trendelenburg 15deg +/- 1deg

#### Chrysalis Nova Bed



#### **Colour Options**





#### **Positions**



Backrest Adjustable



Trendelenburg



Trendelenburg

Reverse

Design Registered

Backrest 66deg +/- 5deg

**Knee Rest** 24deg +/- 5deg

Hi-Low 42.5cm to 77.5cm

Trendelenburg 15deg +/- 1deg

Lowest Height Position

Maximum Height Position

> Reverse Trendelenburg 15deg +/- 1deg

Overall Dimension

**Platform Dimension** 

Head / Foot Board Lying Surface

Safety Sideboards

Control Panel

Safe Working Load

L 220.6cm x W 101cm x H 42.5cm to 77.5cm

L 205cm x W 85.6cm

Easily removable board made of Polypropolene (PP)

Removable cover made of Acrylonitrile Butadiene Styrene (ABS), easy to clean and maintain

PP Sideboards with dropdown mechanism and embedded control panel

Embedded Control Panel – Single Touch Function: Backrest, Knee Rest, Hi-low, Trendelenburg, Reverse Trendelenburg, Cardiac Chair Position, Emergency CPR, Lock Button


12.5cm, imported castors model, Twin Wheel Central Locking

200 kg


#### Accessories that comes along with the bed




Heavy Duty SS 304 Infusion Pole



Bed Extender for Taller Patient



Linen Holder



Patient Restrainer Belt Holder



Accessories Rail on both sides



Dual Side CPR Lever



Bumpers on all corners



Mattress 10cm



Bed Extender Mattress



Battery Backup



Patient Control Panel



Chart Holder



Oxygen Cylinder Cage



Under Bed Light



X-Ray Permeable Backrest

#### Chrysalis TWCL Bed



#### **Colour Options**



Grey

#### Design Registered

Backrest 66deg +/- 5deg

Knee Rest 24deg +/- 5deg

Hi-Low

43cm to 77.5cm


15deg +/- 1deg

#### Positions



Backrest Adjustable







Lowest Height Position



Overall Dimension **Platform Dimension** Head / Foot Board

> Lying Surface Sideboards

Safe Working Load

L 220.6cm x W 101cm x H 43cm to 77.5cm

L 205cm x W 85.6cm

PP make easily removable Head/Foot board is used

ABS removable cover, which is ready to clean

PP Sideboards with dropdown mechanism, covering complete bed length

12.5cm, imported castors model, Twin Wheel Central Locking

#### Accessories that comes along with the bed



Heavy Duty SS 304 Infusion Pole



Taller Patient



Linen Holder



Patient Restrainer Belt Holder




Accessories Rail on both sides



Dual Side CPR Lever



Bumpers on all corners



Attendant Control Panel

#### Optional Accessories







Bed Extender Mattress



Battery Backup




Patient Control Panel



Chart Holder



Oxygen Cylinder Cage



Under Bed Light



X-Ray Permeable Backrest

16

#### Chrysalis SWDL Bed



#### **Colour Options**

Sea Green Peach

Grey



Backrest Adjustable

Trendelenburg



Maximum Height Position



24deg +/- 5deg

Backrest 66deg +/- 5deg

Hi-Low 43cm to 77.5cm

Trendelenburg 15deg +/- 1deg

15deg +/- 1deg

Overall Dimension **Platform Dimension** Head / Foot Board Lying Surface

Safe Working Load

Sideboards

L 220.6cm x W 101cm x H 43cm to 77.5cm

L 205cm x W 85.6cm

PP make easily removable Head/Foot board is used

ABS removable cover, which is ready to clean

PP Sideboards with dropdown mechanism, covering complete bed length

12.5cm, imported castors model, Single Wheel Diagonal Locking

#### Accessories that comes along with the bed




Heavy Duty SS 304 Infusion Pole



Taller Patient



Linen Holder



Patient Restrainer Belt Holder




Accessories Rail on both sides



Dual Side CPR Lever



Bumpers on all corners



Attendant Control Panel

#### Optional Accessories







Bed Extender Mattress



Battery Backup



Patient Control Panel



Chart Holder

#### Positions





Reverse Trendelenburg




**Knee Rest** 

Design Registered

Reverse Trendelenburg

Cage



Under Bed Light

#### Chrysalis Plus SWDL Bed



#### **Colour Options**







#### Positions




Backrest Adjustable



Leg Rest Adjustable

Reverse Trendelenburg



Maximum Height Position



Lowest Height Position

#### Design Registered

#### Backrest 66deg +/- 5deg

**Knee Rest** 24deg +/- 5deg

Hi-Low 43cm to 77.5cm

Trendelenburg 15deg +/- 1deg

Reverse Trendelenburg 15deg +/- 1deg

#### Overall Dimension

Platform Dimension

Head / Foot Board Lying Surface

Sideboards

Safe Working Load

#### L 220.6cm x W 101cm x H 43cm to 77.5cm

L 205cm x W 85.6cm

PP make easily removable Head/Foot board is used

PP Sideboards with dropdown mechanism

12.5cm, imported castors model, Single Wheel Diagonal Locking

#### Accessories that comes along with the bed



Heavy Duty SS 304 Infusion Pole



Accessories Rail on both sides



Attendant Control Panel



Dual Side CPR Lever



all corners

#### Optional Accessories



Mattress 10cm



Bed Extender Mattress



Chart Holder



Oxygen Cylinder Cage




Battery Backup

20

#### Evita 3F XP Bed



#### **Colour Options**



	<u> </u>				•===
Motorized	•	•			•
Manual			•	•	


#### Positions



Leg Rest Adjustable









Reverse Trendelenburg 8deg +/- 2deg

Backrest

Knee Rest 25deg +/- 2deg

Hi-Low

49cm to 77cm

Trendelenburg 10deg +/- 2deg

70deg +/- 2deg

Overall Dimension

**Platform Dimension** 

Head / Foot Board

Lying Surface

Safety Sideboards

Patient Working Load

L 231.2cm x W 106cm x H 49cm to 77cm

L 214cm x W 84.4cm

Easily removable board made of Polypropylene (PP)

Mild steel (MS)

PP Sideboards with rotatory mechanism

Patient Control Panel – Single Touch Function: Backrest, Knee Rest, Auto Contour, Hi-low. Manual Crank Handle – Trendelenburg, Reverse Trendelenburg


12.5cm, imported castors model, Single Wheel Diagonal Locking

135 kg

#### Accessories that comes along with the bed



Heavy Duty SS 304 Infusion Pole



Patient Restrainer Belt Holder



Accessories Rail on both sides



Patient Control Panel



Dual Side CPR Lever



Bumpers on all corners


#### Optional Accessories



Mattress 10cm











Battery Backup

Chart Holder

Oxygen Cylinder Cage


X-Ray Permeable Backrest

#### Evita 2F XP Bed



#### **Colour Options**






#### Positions









Backrest Adjustable



Trendelenbura

Backrest 70deg +/- 2deg



Hi-Low 49cm to 77cm

Trendelenburg 10deg +/- 2deg

Reverse Trendelenburg 8deg +/- 2deg

Overall Dimension

**Platform Dimension** 

Head / Foot Board

Lying Surface Sideboards

Patient Working Load

L 231.2cm x W 106cm x H 49cm to 77cm

L 214cm x W 84.4cm

Easily removable board made of Polypropylene (PP)

Mild steel (MS)

PP Sideboards with rotatory mechanism

Patient Control Panel – Single Touch Function: Backrest, Auto Contour, Hi-low. Manual Crank Handle – Knee Rest, Trendelenburg, Reverse Trendelenburg


12.5cm, imported castors model, Single Wheel Diagonal Locking

135 kg


#### Accessories that comes along with the bed



Heavy Duty SS 304 Infusion Pole



Patient Restrainer Belt Holder



Accessories Rail on both sides



Patient Control Panel



Dual Side CPR Lever



Bumpers on all corners


#### Optional Accessories




Mattress 10cm











Battery Backup

Chart Holder


Oxygen Cylinder Cage

X-Ray Permeable Backrest

#### Evita Lite 3F XP Bed



#### **Colour Options**



	<u> </u>	<u>^</u>	•	***	•===
Motorized	•	•			•
Manual			•	•	

#### **Positions**



Leg Rest Adjustable



Position



Trendelenburg Trendelenbura

Backrest 70deg +/- 2deg

**Knee Rest** 25 deg +/- 2deg

Hi-Low 49cm to 77cm

Trendelenburg 10deg +/- 2deg

Reverse Trendelenburg 8deg +/- 2deg

Overall Dimension

**Platform Dimension** 

Head / Foot Board Lying Surface

Safety Side Rails

Patient Working Load

L 231.2cm x W 106cm x H 49cm to 77cm

L 214cm x W 84.4cm

Easily removable board made of Polypropylene (PP)

Mild steel (MS)

MS side rails with pull to turn mechanism covering 2/3<sup>rd</sup> of the bed length

Patient Control Panel – Single Touch Function: Backrest, Knee Rest, Auto Contour, Hi-low. Manual Crank Handle – Trendelenburg, Reverse Trendelenburg


12.5cm, imported castors model, Single Wheel Diagonal Locking

135 kg


#### Accessories that comes along with the bed



Heavy Duty SS 304 Infusion Pole



Patient Restrainer Belt Holder



Accessories Rail on both sides



Patient Control Panel




Dual Side CPR Lever



Bumpers on all corners











Mattress 10cm Battery Backup

Chart Holder

Oxygen Cylinder Cage

X-Ray Permeable Backrest


#### Evita Lite 2F XP Bed



#### Colour Options



Grey



#### **Positions**













Backrest 70deg +/- 2deg

Knee Rest 25deg +/- 2deg

Hi-Low 49cm to 77cm

Trendelenburg 10deg +/- 2deg

Reverse Trendelenburg 8deg +/- 2deg

Overall Dimension

**Platform Dimension** 

Head / Foot Board

Lying Surface

Safety Side Rails

Patient Working Load

L 231.2cm x W 106cm x H 49cm to 77cm

L 214cm x W 84.4cm

Easily removable board made of Polypropylene (PP)

Mild steel (MS)

MS side rails with pull to turn mechanism covering 2/3<sup>rd</sup> of the bed length

Patient Control Panel – Single Touch Function: Backrest, Auto Contour, Hi-low. Manual Crank Handle – Knee Rest, Trendelenburg, Reverse Trendelenburg


12.5cm, imported castors model, Single Wheel Diagonal Locking

135 kg


#### Accessories that comes along with the bed







Patient Restrainer Belt Holder



Accessories Rail on both sides



Patient Control Panel



Dual Side CPR Lever



Bumpers on all corners

#### Optional Accessories



Mattress 10cm



Battery Backup



Chart Holder





Oxygen Cylinder Cage

X-Ray Permeable Backrest

#### MANUAL ICU RANGE

#### Vita ICU Bed



#### Colour Options






#### **Positions**




Backrest Adjustable



Leg Rest Adjustable

Trendelenburg



↑ (Mi Lowest Height

Backrest

70deg +/- 2deg

**Design** Registered

Knee Rest 24deg +/- 2deg

Hi-Low 49cm to 77cm

Trendelenburg 10deg +/- 2deg

Reverse Trendelenburg 8deg +/- 2deg

Overall Dimension

**Platform Dimension** 

Head / Foot Board

Lying Surface

Safety Sideboards

Crank Handle

Patient Working Load

L 220.7cm x W 106cm x H 47.5cm to 75.5cm

L 213cm x W 84.4cm

Easily removable board made of Polypropylene (PP)

Mild steel (MS)

PP Sideboards with rotatory mechanism

Single removable crank handle is provided with 4 lead screws for following functions: Backrest, Knee Rest, Hi-low &

Trendelenburg, Reverse Trendelenburg

12.5cm, imported castors model, Single Wheel Diagonal Locking

135 kg

#### Accessories that comes along with the bed



Provision for IV Pole on all Corners



Accessories Rail on both sides




Bumpers on all corners

#### Optional Accessories



Mattress 10cm



Lite IV Pole





Chart Holder



Oxygen Cylinder Cage



Extra Crank Handle



X-Ray Permeable Backrest

Trendelenburg


30

#### MANUAL ICU RANGE

#### Vita Lite ICU Bed



#### **Colour Options**




#### **Positions**



Backrest Adjustable









**Knee Rest** 24deg +/- 2deg

Hi-Low

70deg +/- 2deg

Backrest

**Design** Registered

49cm to 77cm Trendelenburg

10deg +/- 2deg

Reverse Trendelenburg 8deg +/- 2deg

Overall Dimension

**Platform Dimension** 

Head / Foot Board

Lying Surface

Safety Side Rails

Crank Handle

Patient Working Load

L 220.7cm x W 106cm x H 47.5cm to 75.5cm

L 213cm x W 84.4cm

Easily removable board made of Polypropylene (PP)

Mild steel (MS)

MS Side Rails with pull to turn mechanism covering  $2/3^{rd}$  of the bed length

Single removable crank handle is provided with 4 lead screws for following functions: Backrest, Knee Rest, Hi-low & Trendelenburg, Reverse Trendelenburg


12.5cm, imported castors model, Single Wheel Diagonal Locking

135 kg

#### Accessories that comes along with the bed



Provision for IV pole on all corners




Accessories Rail on both sides



Bumpers on all corners

#### Optional Accessories







Lite IV Pole



Chart Holder



Oxygen Cylinder Cage



Extra Crank Handle



X-Ray Permeable Backrest

Trendelenburg





Trendelenburg

32

#### Ayush Plus Fowler - PP Bed



Backrest 70deg +/- 2deg

Knee Rest 24deg +/- 2deg

#### **Positions**





Backrest Adjustable

Leg Rest Adjustable

Overall Dimension

Platform Dimension

Lying Surface

Head / Foot Board

Patient Working Load

Crank Handle

L 214.1cm x W 99cm x H 56.1cm

L 208.5cm x W 90cm

Mild steel (MS)

Easily removable board made of Polypropylene (PP)

Single removable crank handle is provided with 2 lead screws for Backrest & Knee Rest function

12.5cm, Single Wheel Diagonal Locking

#### Accessories that comes along with the bed



Provision for IV Pole on all corners



Accessories Rail on both sides

#### Optional Accessories



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole



Chart Holder



Extra Crank Handle

#### MANUAL RANGE

#### Ayush Plus Fowler - SSPLT Bed



Backrest 70deg +/- 2deg

**Knee Rest** 24deg +/- 2deg

#### **Positions**







Leg Rest Adjustable

Overall Dimension

Platform Dimension Lying Surface

Head / Foot Board

Patient Working Load

Crank Handle

L 214.1cm x W 91.5cm x H 56cm

L 207.5cm x W 90cm

Mild steel (MS)

Easily removable board made of SS bow with PLT Laminate at centre

Single removable crank handle is provided with 2 lead screws for Backrest & Knee Rest function


12.5cm, Single Wheel Diagonal Locking

135 kg

#### Accessories that comes along with the bed



Provision for IV Pole on all corners




Accessories Rail on both sides

#### Optional Accessories



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole




Chart Holder



Extra Crank Handle

#### Ayush Fowler Bed



Backrest 70deg +/- 2deg Knee Rest 24deg +/- 2deg

#### Positions





Backrest Adjustable

Leg Rest Adjustable

Overall Dimension

Platform Dimension

Lying Surface

Head / Foot Board

Patient Working Load

Crank Handle

Castors

L 222.2cm x W 92.2cm x H 61cm

L 207.5cm x W 90cm

Mild steel (MS)

Board made of MS vertical pipe

Single removable crank handle is provided with 2 lead screws for Backrest & Knee Rest function


12.5cm, Single Wheel Diagonal Locking

135 ka

#### Accessories that comes along with the bed




Provision for IV Pole on all corners



Accessories Rail on both sides

#### Optional Accessories



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole



Chart Holder



Extra Crank Handle

#### MANUAL RANGE

#### Ayush Plus Semi Fowler - PP Bed



Backrest 70deg +/- 2deg

#### **Positions**



Backrest Adjustable

Overall Dimension

Platform Dimension

Lying Surface

Head / Foot Board

Crank Handle

Castor

**Patient Working Load** 

L 214.1cm x W 99cm x H 56.1cm

L 208.5cm x W 90cm

Mild steel (MS)


Easily removable board made of Polypropylene (PP)

Single crank handle is provided with 1 lead screw for Backrest function


12.5cm, Single Wheel Diagonal Locking

135 kg

#### Accessories that comes along with the bed




Provision for IV Pole on all corners



Accessories Rail on both sides



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole



Chart Holder

#### Ayush Plus Semi Fowler - SSPLT Bed



Backrest 70deg +/- 2deg

#### **Positions**



Backrest Adjustable

Overall Dimension

Platform Dimension

Lying Surface

Head / Foot Board

Crank Handle

Casto

Patient Working Load

L 214.1cm x W 91.5cm x H 56cm

L 207.5cm x W 90cm

Mild steel (MS)

Easily removable board made of SS bow with PLT Laminate at centre

Single crank handle is provided with 1 lead screw for Backrest function


12.5cm, Single Wheel Diagonal Locking

135 kg

#### Accessories that comes along with the bed



Provision for IV Pole on all corners



Accessories Rai on both sides

#### Optional Accessories



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole



Chart Holder

#### MANUAL RANGE

#### Ayush Semi Fowler Bed



Backrest 70deg +/- 2deg

#### **Positions**



Backrest Adjustable

Overall Dimension

Platform Dimension

Lying Surface

Lying 3011a

Crank Handle

Castors

Patient Working Load

L 222.2cm x W 92.2cm x H 61cm

L 207.5cm x W 90cm

Mild steel (MS)


Board made of MS vertical pipe

Single crank handle is provided with 1 lead screw for Backrest function


12.5cm, Single Wheel Diagonal Locking

135 kg

#### Accessories that comes along with the bed




Provision for IV Pole on all corners



Accessories Rail on both sides



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole



Chart Holder

#### Ayush Plus Sheet - PP Bed



Overall Dimension

Platform Dimension

Lying Surface

Head / Foot Board

Patient Working Load

L 214.1cm x W 99cm x H 56.1cm


L 198.4cm x W 90cm

Mild steel (MS)


Easily removable board made of Polypropylene (PP)

135 kg

#### Accessories that comes along with the bed



Provision for IV Pole on all corners




Accessories Rail on both sides

#### Optional Accessories



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole



Chart Holder

#### MANUAL RANGE

#### Ayush Plus Sheet - SSPLT Bed



Overall Dimension
Platform Dimension
Lying Surface
Head / Foot Board
Patient Working Load

L 214.1cm x W 91.5cm x H 56cm


L 198.4cm x W 90cm

Mild steel (MS)


Easily removable board made of SS bow with PLT Laminate at centre

135 kg

#### Accessories that comes along with the bed



Provision for IV Pole on all corners



Accessories Rail on both sides



Mattress 10cm



Side Rails Covering 2/3<sup>rd</sup> of Side Rails



Lite IV Pole



Chart Holder

#### Ayush Sheet Bed



Overall Dimension
Platform Dimension
Lying Surface
Head / Foot Board
Patient Working Load

L 222.2cm x W 92.2cm x H 61cm

L 190cm x W 90cm

Mild steel (MS)


Board made of MS vertical pipe

135 kg

#### Accessories that comes along with the bed



Provision for IV Pole on all corners



Accessories Rail on both sides

#### Optional Accessories



Mattress 10cm



Lite IV Pole



Chart Holder



Mosquito Net Pole

#### MANUAL RANGE

#### Ayush Attendant Bed



Overall Dimension
Platform Dimension
Lying Surface
Head / Foot Board
Patient Working Load

L 202.5cm x W 77.4cm x H 55cm

L 194.2cm x W 7.6cm

Mild steel (MS)

Board made of MS vertical pipe

135 kg



Mattress 10cm

#### **COUCH - MOTORIZED**

#### **Repos Procedure Couch**







Overall Dimension

L 157.4cm x W 94.2cm x Adjustable Height 60cm to 85cm

- 360deg access to patient helps in patient comfort and improves Doctor-Patient dynamics
- The lying surface on chair is made of vacuum foam for easy cleaning

Trendelenburg

15deg +/- 2deg

- 360deg rotating calf rest is provided with height adjustable lithotomy rod • Antimicrobial powder coating for bacterial protection
- Doctors stool is an optional accessory that can be snap fitted on
- to the chair for basic check-up of the patient • SS collection bowl are provided

Pendant control panel - Single touch function: Backrest, Pelvic,

Hi-low & Trendelenburg

Backrest

Hi-Low

Positions

65deg +/- 5deg

60cm to 85cm

Safe Working Load

Control Panel



Optional Accessories

Single Step Stool





Head Cushion



**Doctors Stool** 



Backrest Adjustable



Lowest Height

Position

Maximum Height

Position

Trendelenburg

#### **COUCH - MOTORIZED**

#### Repos Gynaec Couch







#### Overall Dimension

L 157.4cm x W 94.2cm x Adjustable Height 60cm to 85cm

- 360deg access to patient helps in patient comfort and improves Doctor-Patient dynamics • The lying surface on chair is made of vacuum foam for easy cleaning
- 360deg rotating calf rest is provided with height adjustable lithotomy rod • Antimicrobial powder coating for bacterial protection
- Doctors stool is an optional accessory that can be snap fitted on
- to the chair for basic check-up of the patient • SS collection bowl are provided

Pendant control panel – Single touch function: Backrest & Hi-low

135 kg

#### **Control Panel** Safe Working Load

#### Optional Accessories



Single Step Stool

Head Cushion



Tissue Roll Holder



Doctors Stool

#### Backrest 65deg +/- 5deg

Hi-Low 60cm to 85cm

#### **Positions**



Backrest Adjustable



Position



Position

#### **COUCH - MOTORIZED**

#### **Repos Physical Examination Table**







Overall Dimension

Control Panel

Safe Working Load

L 200.2cm x W 66.5cm x H 81.2cm

- 360deg access to patient helps in patient comfort and improves Doctor-Patient dynamics
- The lying surface on chair is made of vacuum foam for easy cleaning
- Compact storage provided
- Antimicrobial powder coating for bacterial protection

Pendant control panel - Single touch function: Backrest

135 kg

#### **Optional Accessories**



Single Step Stool



Tissue Roll Holder



**Head Cushion** 



**Doctors Stool** 

#### **Positions**



#### COUCH - MANUAL

#### Revive Full Storage Couch



Backrest 65deg +/- 5deg

#### **Positions**



Backrest Adjustable

#### Overall Dimension

Features

#### L 197.4cm X W 56cm x H 80.5cm

- Headrest assisted on gas lift up to 30deg
  Folding blood pressure tray is available at the head side of the couch
- Levelers are provided for base support of examination table
- Couch has 3 drawers at the top, 3 cabinet at the bottom with inbuilt sliding step stool

#### **COUCH - MANUAL**

#### Examination Table on RTC



#### **Positions**



Backrest Adjustable

#### Optional Accessories



2 Section Mattress 3cm

#### Overall Dimension

Features

#### L 183cm x W 60cm x H 85cm

- Examination table with sturdy structure made of MS
- Headrest assisted on ratchet up to 30deg

#### COUCH - MANUAL

#### Examination Table on RTC - Gynce




#### **Positions**



Backrest Adjustable

#### Optional Accessories





Single Step Stool Mattress 3cm

Overall Dimension

Features

L 206.5cm x W 85cm x H 85cm

- Examination table with sturdy structure made of MS
- Headrest assisted on ratchet up to 30deg
- Knee Rest section is provided with a cutout and
- SS collection tray is provided

   360deg rotating calf rest is provided with height adjustable lithotomy rod

#### **INFANT TROLLEY**

#### Pediatric Bed



Optional Accessories



Pediatric Mattress 7.5cm

Overall Dimension

Features

L 157cm x W 83.9cm x H 121.8cm

- Single section flat bed with grille frame on four sides
- Full length dropdown side rails for protection
- Legs are fitted with rubber shoes

Safe Working Load

100 kg

#### **INFANT TROLLEY**

#### Crib On Trolley



Optional Accessories



Crib Mattress 5cm

Overall Dimension

Features

L 108cm x W 50cm x H 116.5cm

- Wire mesh frame designed to accommodate the baby and provide visibility and ventilation
   100mm diagonal locking castors

Safe Working Load

20 kg

#### **INFANT TROLLEY**

#### Crib On Bed



#### Optional Accessories



Crib Mattress 5cm

Overall Dimension

L 90.8cm x W 41.6cm x H 78.4cm

Wire mesh frame designed to accommodate the baby and provide visibility and ventilation suitable to fit in on foot board end of the bed

Safe Working Load

20 kg

#### LOCKER

#### Aptis Locker 2 Drawer 1 Cabinet



Colour Options

Sea Green Peach

Grey

Overall Dimension

Features

L 49cm x W 41cm x H 94.1cm

- 5cm dia. castors with front locking
- Metal handle for mobility
- Top made is ABS
- Lock facility in drawer and cabinet

#### LOCKER

#### Aptis Locker 1 Drawer 1 Cabinet



Colour Options

Sea Green

Peach

Grey

Overall Dimension

Features

L 49cm x W 41cm x H 94.1cm

- 5cm dia. castors with front locking
- U shaped metal handle for mobility • Top made is ABS
- Lock facility in drawer and cabinet

#### LOCKER

#### Aptis Locker 1 Cabinet



Colour Options

Sea Green Peach

Grey

Overall Dimension

Features

L 49cm x W 41cm x H 94.1cm

- 5cm dia. castors with front locking
- U shaped metal handle for mobility
- Top made is ABS
- Lock facility in cabinet

#### LOCKER

Deluxe Locker: 1 Drawer 1 Cabinet



Overall Dimension

Features

L 40.2cm x W 42.2cm x H 84cm

- 5cm dia. castors with front locking SS 304 make top
- Lock facility in drawer and cabinet

#### LOCKER

Simple Locker: 1 Cabinet



Overall Dimension

Features

L 40.2cm x W 40.4cm x H 83.5cm

• SS 304 make top

• Lock facility in cabinet

#### **OVER BED TABLE**

Adeo OBT On Gas Lift Split Type



Design Registered

Overall Dimension

Features

L 89.65cm x W 39.5cm x H Adjustable from 79.9cm to 109.2cm

- Compact laminate along with tilting top
- Height adjustable on gas lift
  5cm castors used diagonal locking castors
  Antimicrobial powder coated
  Safe working load at flat top: 20 kg

#### **OVER BED TABLE**

Aptis OBT On Gas Lift



Overall Dimension

Features

L 89.6cm x W 39.5cm x H Adjustable from 80.44cm to 109.74cm

- Membrane pressed MDF board made top surface with edge lipping
- Height adjustable on gas lift
  5cm castors used diagonal locking castors
  Antimicrobial powder coated
  Safe working load at flat top: 20 kg

#### **OVER BED TABLE**

Aptis OBT On Crank



Overall Dimension

Features

L 89.9cm x W 55.5cm x H Adjustable from 97cm to 117cm

- Membrane pressed MDF board made top surface with edge lipping
- Height adjustable on crank mechanism
- 5cm castors used diagonal locking castors
- Antimicrobial powder coated
- Safe working load at flat top: 20 kg

#### **OVER BED TABLE**

#### Ayush Fixed Height OBT



Design Registered

Overall Dimension

Features

L 105cm x W 38cm x H Fixed Height 95cm

- MDF with PVC membrane having thickness of 1.8cm
  5cm castors used diagonal locking castors
  Safe working load at flat top: 20 kg

#### **PATIENT MOBILITY**

Stretcher On Trolley



Overall Dimension

Platform Dimension

Features

L 200.5cm x W 66.6cm x H 83cm

L 200.5cm x W 58.5cm

- MS stretcher on trolley with removable stretcher
- 20cm dia. diagonal locking castors
  Contoured stretcher top provides safety to patient handling
  Provision for providing IV pole on diagonal locking castors

Safe Working Load

135 kg

#### PATIENT MOBILITY

#### Trauma Care Trolley



#### Overall Dimension

Features

L 190cm x W 75cm x H 52-75cm

- Completely SS make 3 function emergency recovery trolley with retractable crank handles
- 15cm dia. castors with 3 lockable castors and with one directional locking that provides the safety and stability
   Height Adjustable IV Pole, oxygen cylinder cage and patient
- safety strap is provided
- Utility tray available for storage


Safe Working Load

135 kg

#### **Positions**



Backrest Adjustable



Leg Rest Adjustable



Maximum Height Position




Lowest Height Position

Backrest 80deg +/- 2deg

Knee Rest 40deg +/- 2deg

Hi-Low 52cm to 75cm


#### Accessories that comes along with the bed



Accessories Rail on both sides



Mattress 10cm



Side Rails





Oxygen Cylinder Cage



Lite IV Pole

#### PATIENT MOBILITY

#### Rapid NEO ERT



**Design** Registered

Overall Dimension

Platform Dimension

Features

L 213.9cm x W 78cm x Adjustable Height 68cm to 105.5cm

L 206.4cm x W 63cm

- Removable stretcher fully x-ray permeable made of compact laminate with sliding x-ray tray
- Height adjustable IV Pole, oxygen cylinder cage and patient safety strap is provided
- Utility tray available for storage
- 12.5cm castors model, Single Wheel Diagonal Locking
- Antimicrobial powder coating to prevent bacterial protection
- Bumpers on all corners for ease in movement
- Optional feature: Trendelenburg 15deg & Reverse Trendelenburg 8deg on gas spring mechanism

Safe Working Load

140 kg

#### **Positions**




Backrest Adjustable





Reverse

Trendelenburg



Maximum Height Position



Backrest

70deg +/- 2deg


Trendelenburg 15deg +/- 2deg

Reverse Trendelenburg 8deg +/- 2deg

Accessories that comes along with the bed



Bumpers on all corners



Mattress 10cm

#### PATIENT MOBILITY

#### Folding Wheelchair Cushion



Overall Dimension

Features

L 79cm x W 60cm x H 87cm

- Chrome finished foldable wheelchair with cushion type seat and flexible back
- Rear mag wheels is 24inch made of solid rubber
- Front mag wheels is 8inch made of solid rubber
- Foldable footrest with up down & swivel type adjustment
- Leatherite strap is provided at the calf rest section. File holder at the back of the wheelchair

Safe Working Load

100 kg

#### SS TROLLEYS & CARTS

#### Instrument Trolley Bowl & Bucket/ Dressing Trolley



Overall Dimension

L 115.6cm x W 53.1cm x H 91.5cm

- 2 shelves made of SS 304 with railing on all four corners
- 12.5cm dia. diagonal locking castors
- Bowl & bucket with spin section (Bucket is provided with lid)

Safe Working Load

Features

10 kg

#### SS TROLLEYS & CARTS

Instrument Trolley



Overall Dimension

Safe Working Load

L 77.5cm x W 53.1cm x H 91.5cm

- 2 shelves made of SS 304 with railing on all four corners
- 12.5cm dia. diagonal locking castors

#### SS TROLLEYS & CARTS

**Medicine Trolley** 



Overall Dimension

Features

L 90.2cm x W 53.1cm x H 91.5cm

- 2 shelves made of SS 304 with railing on all four corners
- 12.5cm dia. diagonal locking castors

Safe Working Load

10 kg

#### SS TROLLEYS & CARTS

Mayo Trolley



Overall Dimension

Features

Safe Working Load

L 50.4cm x W 65cm x Adjustable Height from 81.4cm up to 134cm

- Top tray SS 304 with telescopic tube for smooth height adjustability
- 5cm dia. castor for ease movement

20 kg

#### SS TROLLEYS & CARTS

Crash Cart



Overall Dimension

Features

L 104.8cm x W 47.5cm x H 155.5cm

- 3 shelves made of SS 304 make

- Oxygen cylinder cage available on 5cm dia. castors
  6 coloured bins available above top shelf
  Two drawer sets of 3 drawers each with central locking
  IV Pole Height Adjustable available on cart

Safe Working Load

30 kg

#### SS TROLLEYS & CARTS

Instrument Cabinet



Overall Dimension

Features

L 91.6cm x W 48.6cm x H 198.1cm

- Completely MS make storage with adjustable shelf having door lock
   Acrylic transparent window on front side and on both sides of the storewell

#### SS TROLLEYS & CARTS Oxygen Cylinder Trolley



Overall Dimension

Features

L 41cm x W 37.5cm x H 111.2cm

- Completely made of MS with locking rod mechanism
  10cm dia. two castors for ease movement
  Suitable for B type oxygen cylinder

#### SS & MS ACCESSORIES

Kick Bucket



Overall Dimension

Base Circle dia. 51.7cm x H 21cm

- 3 legged single tier basin Removable bowl of SS 202
- 5cm dia. castors
- Safe Working Load

10 kg

#### SS & MS ACCESSORIES

**Basin Stand** 



Overall Dimension

Base Circle dia. 42.5cm x H 85cm

- 4 legged double tier basinRemovable bowl of SS 202
- 5cm dia. castors

20 kg

Safe Working Load

#### SS & MS ACCESSORIES

#### **Double Step Stool**



Overall Dimension

Features

Safe Working Load

L 66.5cm x W 48.5cm x H 39.3cm

- Two step stool to support climbing on couch
  Top is MS with Rubber Matt to provide good grip
  Step stool is provided with leveller at base

#### SS & MS ACCESSORIES

Square Stool



Overall Dimension

Features

Safe Working Load

L 41.1cm x W 41.1cm x H 52.2cm

- SS square top with MS understructure Fixed height stool without castors

135 kg

#### SS & MS ACCESSORIES

#### **Round Stool**



Overall Dimension

Features

Safe Working Load

Base Outer dia 53.8cm x Adjustable Height from 47cm up to 65.5cm

- SS round top with MS understructure
- Height adjustable without castors

135 kg

#### SS & MS ACCESSORIES

#### 3 Fold Screen



Overall Dimension

Features

L 263.7cm x W 64cm x H 172cm

- Two foldable frames with one fixed frame are used
- 5cm wheel available for ease movement
  Double layer casement fabric is provided for modesty

## SS & MS ACCESSORIES Soil Linen Trolley



Overall Dimension

Features

Safe Working Load


PCD 62.5cm x H 95.5cm

- Completely MS trolley on 5cm castors for easy movement
- Casement fabric provided

10 kg

#### SS & MS ACCESSORIES

Lite IV Pole



Overall Dimension

Feature

PCD 25cm x Adjustable Height from 74.3cm up to 115cm

Completely SS height adjustable IV Pole on bed with two hooks

#### SS & MS ACCESSORIES

MS Saline Stand



Overall Dimension

Features

Safe Working Load

Base Circle dia. 69.5cm x Adjustable Height from 156.8cm up to 212.1cm

- 4 hook completely MS make 4 pronged height adjustable saline stand
- 5cm dia. castors are used
- 3 kg per hook

#### SS & MS ACCESSORIES

SS Saline Stand



Overall Dimension

Feature

Safe Working Load

Base Circle dia. 65.2cm x Adjustable Height from 165.5cm up to 236.5cm

- 2 hook completely SS make 5 pronged height adjustable saline stand
- 5cm dia. castors are used

2 kg per hook

#### MS & SS ACCESSORIES

MS & SS Side Rails



Overall Dimension

- This side rail is available in both MS & SS make
- This side rail covers 2/3<sup>rd</sup> of the bed length
- Pull to turn mechanism is used

L 147.3cm x W 9cm x H 51.7cm

Option

SS side rail also available

## MATTRESS Chrysalis Mattress



Overall Dimension

L 190cm x W 84cm x H 10cm

Optional 12.5cm Mattress is available for bed extender feature 12.5cm

PU Foam with density 40 kg/ cubic Meter

Foam Detai**l**s

Features

Four section mattress with straps at foot end. It is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean

Compatibility

All Chrysalis Range of Beds

#### **MATTRESS**

**4 Section Mattress** 



Overall Dimension

Foam Details

Р

Features

Compatibility

L 196.5cm x W 83cm x H 10cm Option of 7.5cm Height Mattress is also available

PU foam with density 40 kg/ cubic meter

Four section mattress is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean

All semi motorised, manual ICU & fowler range of beds

#### **MATTRESS**

2 Section Mattress



Overall Dimension

L 196.5cm x W 83cm x H 10cm Option of 7.5cm Height Mattress is also available

Foam Details

PU Foam with density 40 kg/ cubic meter

Features

Two section mattress, which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean

...

All Semi Fowler Range of Beds

#### MATTRESS

#### **Single Section Mattress**



Overall Dimension

Foam Details

Features

Compatibility

L 190cm x W 90cm x H 10cm Option of 7.5cm Height Mattress is also available

PU Foam with density 40 kg/ cubic meter

Single section mattress, which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean

All Sheet Range of Beds

#### MATTRESS

#### **Attendant Bed Mattress**



Overall Dimension

Foam Details

Features

PU Foam with density 40 kg/ cubic meter

L 194cm x W 76cm x H 7.5cm

Single section mattress, which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth

Easy to remove and clean

Compatibility Ayush Attendant Bed

#### **MATTRESS**

#### Crib Mattress



Overall Dimension

Foam Details

Features

L 61.5cm x W 31.5cm x H 5cm

PU Foam with density 40 kg/ cubic meter

Single section mattress, which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean

Compatibility

Crib On Trolley and Crib On Bed

#### **MATTRESS**

#### **Examination Table Mattress**



Overall Dimension

L 183.3cm x W 60cm x H 3cm

Foam Details

PU Foam with density 40 kg/ cubic meter

Two section mattress with straps to the table. It is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean

Compatibility

Features

Examination Table Ratchet Model

#### **MATTRESS**

#### **Pediatric Bed Mattress**



Overall Dimension

Foam Details

Feature

Compatibility

L 141.5cm x W 78.5cm x H 7.5cm

PU Foam with density 40 kg/ cubic meter

Single section mattress, which is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth Easy to remove and clean

Pediatric Bed

#### **MATTRESS**

#### Rapid ERT Mattress



Overall Dimension

Foam Details

Featur

PU Foam with density 40 kg/ cubic meter

L 180.3cm x W 59cm x H 5cm

Two section mattress with straps to hold on the removable stretcher

It is water resistant, fire retardant & antimicrobial painted to prevent bacterial growth | Easy to remove and clean

Compatibility

Rapid & Rapid NEO Emergency Recovery Trolleyt

The entire gamut of products that can be offered under the Godrej Interio umbrella will include



#### MEDICAL HEADS / SENIOR DOCTOR'S ROOM





#### TRAINING ROOM



#### TRAINING ROOM









#### LIBRARY

Optimizer



Personal Locker Unit



Gain



Book Rack



Glass Door Storewell



Storewell Plain



#### MEETING ROOM



#### ADMIN. AND NURSING STATION





#### CAFETERIA







#### OPDS

### IMPECCABLE CREDENTIALS


















CII DESIGN EXCELLENCE AWARD 2011

INDIA DESIGN MARK 2012

USFDA CERTIFICATE







ISO 13485

#### HEALTHCARE EXPERIENCE CENTER

















**AVAILABLE IN OVER 600 LOCATIONS ACROSS INDIA**Put some play into your work by visiting **godrejinterio.com** 

An initiative by Godrej Interio, the first Indian furniture company with **GREENGUARD** certified products

#### MODULAR FURNITURE • DESKING • SEATING • STORAGE • INTERIORS • LAB • MARINE • HEALTHCARE • HOME

I	Local Address					
I						
I						
I						
I						
I						
ı						

#### National

North: Delhi, Chandigarh, NCR, Lucknow South: Chennai, Bengaluru, Hyderabad, Kochi West: Mumbai, Ahmedabad, Bhopal, Pune East: Kolkata, Bhubaneswar, Guwahati, Patna In keeping with the Godrej policy of continuous development and improvement, the design, dimension and specification may be updated without prior notice or obligations. Form, Colour and Finish of product in this document are representative of design intent and may vary from actual. Colour options depicted in this catalogue are as close to what modern printing processes allow. All dimensions are in 'cm' and are subject to commercial tolerance. Our products are meant for indoor use only.

#### Godrej & Boyce Mfg. Co. Ltd.

Godrej Interio, Pirojshanagar, Vikhroli (W), Mumbai – 400 079. Toll Free Number: 1800–267–1122. Fax: +91–22–6796 1503

Email: interiooffice@godrej.com Website: www.godrejinterio.com B2BHCDOSSIER2019

#### Follow us on







